

Hand Sanitizing Dispenser Display „StaySave“

WATERPROOF PRO-CAP TOUCHSCREEN

Our professional Pro-Cap touch screen get fast response and high precision performance, but the cool thing is it works great even with water on it!

NETWORK CMS UPGRADE

If standalone version can't meet your demand, we also can provide our cloud based CMS as well!

TOUCHLESS DISPENSING

For the human public safety consideration, we made a motion sensor inside our hand sanitizing dispenser is real touchless.

LOW SANITIZER WARNING

There is a LED indicator light on the side of the screen to inform the user for our standalone version, but more cool thing is the CMS system can send the warning email to any specified address on our Internet version.

HDMI INPUT SUPPORT

High definition HDMI-connector support 1080P content input, no headache for different demands from your client any more.

DUAL PUMP


We provide two pumps which supports spraying and drops.

IPS PANEL

Superior image quality and colour depth at 178° ultra wide portrait orientations.

LED BACKLIGHT

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 60.000 hours.



Product Features



Installation type
Support both wall mount and floorstanding installation



Auto dispensing function
Auto Induction of sensor, no need touch




Water-proof Pro-Cap touchscreen
Perfect touch performance even with water



Thermometer
With high sensitive bodyIR sensor shipset inside, user also can check the body temperature when they approach the display.



Cloud Bases CMS Upgrade
Player could be upgrade to network CMS if standalone version can't meet your control demand, via network CMS you can manage the player any time in any place with Internet.



Play & Play
is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content copy over and then remove.

Model		Hand Sanitizing Dispenser Display	
Panel	Display Size(inch)	21.5"Full HD panel, LED backlight	
	Backlit Type	E-LED	
	Resolution	1.920x1.080	
	Active Display Area(mm)	474.64□H)x 268.11 mm(V)	
	Aspect Ratio	16:09	
	Brightness(cd/m2)	200nit	
	Contrast Ratio(Typ.)	1000:1	
	Display mode	Nomal black ,IPS / 10bit Dithering - 10.07	
	Display Color	Billion	
	Viewing Angle(H/V)	89/89/89/89(L/R/U/D)	
	Color	16.7M	
	Response Time(G-to-G)	6ms	
	Operation Hour	24/7	
Audio Output	Built-in speaker 8 Ohm/ 5 watt *2 pcs		
Sound	Type	Internal	
	Power Supply	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz	
Power	Max [W/h]	40	
	Power Consumption	Sleep mode Off mode	
		less than 0.5W less than 0.5W	
Mechanical	Protection Glass	Yes	
Spec	Mount Type	Wallmount / Floor standing (optional)	
Environmental	Operating/ Storage Temperature	0°C~45°C / -10°C ~55°C	
	Operating/ Storage Humidity	10~80% / 5% ~ 95%	
OS	Android Media Player	Proessor / Ram :	Rockchip® RK3368 (1.5ghZ, octa core) / 2 GB DDR
		Memory / Connections:	Built-in FLASH memory 8G / Ethernet (RJ45), WiFi [Bluetooth, 4G (Optional)]
		LAN	10M/100M Ethernet (Network version screen only)
		Interface:	USB2.0*2, RJ-45*1, SD socket*1, HDMI*1,DC*1, Audio*1
		Multimedia:	Video(MPG,AVI,MP4,RM,RMVB,TS), Audio (MP3,WMA), Image (JPG,GIF,BMP,PNG)
		Media Resolution / Wi-Fi:	1920*1080 / 802.11b/g/n Ethernet (Network version screen only)
	Android Version Language	Android 5.1 English (Default) - Multi-language	
Sanitizer Dispensing	Dispensing Sanitizer	Auto dispense of Sanitizer with hand motion	
	Sanitizer Cpacity	1000 ml capacity of Sanitizer Content (3L as optional)	
	Indicator	Light indicator when consume over 75% of sanitizer	
Appearance	Color / Surface Treatment	White (standard) - Customized colors based on MOQ / Powder Coated	
	Shell Material / Installation	Tempered glass & cold rolled sheet / Wallmount - Floor Standing Base (optional)	
	Screen Position / Safety	Vertical / CE ROHS	
Certification	Include	Remote Control, Keys, Wallmount bracket, Screws, Power Cable, WiFi	
	Quality assurance	Antenna 1 Year (2-3 years optional)	
	Type of packaging	PE film + Foam corner protector + Carton or Honeycomb Box	

ABOUT US

OUR CERTIFICATIONS



CRESTRON:
101/P102/P201/
P301/DMC-D-4K/
DMC-E-4K/RL101/
NVXDesign&Networking

SAMSUNG

CERTIFIED PARTNER
HOSPITALITY DISPLAY 2017

SAMSUNG:
Reach 4.0/
Hospitality Display/
Magic Info

Microsoft
CERTIFIED

MICROSOFT:
Microsoft
Certified



RUSSOUND
Certified Installer



ABSEN:
Certified Engineer



AV-Stumpfl Wings AV



LG: SuperSign/ProCentric



RTI APEX Certified



Loxone Certified Expert



KNX/EIB



BRAND CUSTOMERS

John Harris
Fitness



AUSTRIAN
STANDARDS



PLATZHIRSCH



Marriott
HOTELS & RESORTS

AUTOWELTLINZ
FRANZOSENHAUSWEG

HOTEL DOMIZIL
IM ZENTRUM

Hilton
Garden Inn
Wiener Neustadt

ispa
Internet Service Providers Austria

ARCOTEL DONAUZENTRUM | WIEN

VARIOTHERM
HEIZEN. KÜHLEN. WOHLFÜHLEN.

SONNENTHERME

SKYNAPTICS
INFOTAINMENT & MEDIASOLUTIONS

SKYNAPTICS LTD & Co KG

Feldgasse 25, A-2454 Sarasdorf

Telefon: +43(0)699 1000 49 16

E-Mail: info@skynaptics.at www.skynaptics.at